INTERNATIONAL STANDARD

ISO/IEC 10021-1

Second edition 2003-11-15

Information technology — Message Handling Systems (MHS)

Part 1: **System and service overview**

Technologies de l'information — Systèmes de messagerie (MHS)
Partie 1: Présentation générale du système et des services



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

1	Scope	1
2	Normative references	1
3	Terms and definitions	3
3.1	Open Systems Interconnection	
3.2	Directory Systems	4
4	Abbreviations	4
5	Conventions	5
6	Purpose	
7	Functional Model of MHS	
7.1	Description of the MHS Model	
7.2	Structure of Messages	
7.3	Application of the MHS model	
7.3.1	Physical Mapping	7
7.3.2	Organizational Mapping	
7.3.3	Administration Management Domain	
7.3.4	Private Management Domain	8
7.4	The Message Store	9
7.4.1	Physical Configurations	12
7.4.2	Organizational Configurations	12
8	The Message Transfer Service	12
8.1	Submission and Delivery	
8.2	Transfer	
8.3	Notifications	
8.4	User Agent	
8.5	Message Store	
8.6	Access Unit	
8.7	Use of the MTS in the Provision of Various Services	
9	The IPM Service	13
9.1	IPM Service Functional Model	
9.2	Structure of IP-messages	
9.3	IP-notifications	
	Intercommunication with Physical Delivery Services	
10 10.1	Intercommunication with Physical Delivery Services	
10.1		
	Organizational Configurations	10
11	Specialized Access	
11.1	Introduction	
11.2	Telex Access	
11.2.1	Registered Access to the IPM Service	
11.2.2	Non-registered (Public) Access to the IPM Service	
11.3	Facsimile Access	
11.3.1	Non-registered (Public) Access from the IPM Service	17
12	Naming and Addressing	
12.1	Introduction	
12.2	Directory Names	
12.3	OR-Names	
12.4	OR-Addresses	18

ISO/IEC 10021-1:2003(E)

13	MHS Use of Directory	18
13.1	Introduction	
13.2	Functional Model	
13.3	Physical Configurations	19
14	Distribution Lists in MHS	20
14.1	Introduction	
14.2	Properties of a DL	
14.3	Submission	
14.4	DL Use of a Directory	
14.5	DL Expansion	
14.6	Nesting	
14.7	Recursion Control	
14.8	Delivery	
14.9	Routing Loop Control	
14.10	Notifications	
14.11	DL Handling Policy	
15	Security Capabilities of MHS	22
15.1	Introduction	
15.2	MHS Security Threats	
15.2.1	Access Threats	
15.2.2	Inter-Message Threats	
15.2.3	Intra-Message Threats	
15.2.4	Data Store Threats	
15.3	Security Model.	
15.3.1	Secure Access Management and Administration	
15.3.2	Secure Messaging	
15.4	MHS Security Capabilities	
15.5	Security Management	
15.6	MHS Security Dependencies	
15.7	IPM Security	
16	Conversion in MHS	27
17	Clause 17 of the corresponding ITU-T Recommendation is not part of this International Standard	28
18	Elements of Service – Purpose	28
_	•	
19	Elements of service – Classification	
19.1	Purpose of Classification	
19.2	Basic Message Transfer Service	
19.3	MT Service Optional User Facilities	
19.4 19.5	Optional User Facilities for MH/PD Service Intercommunication	
19.5 19.6	1	
19.0 19.7	Base Message Store	
19.7	Basic Interpersonal Messaging Service	
19.8	IPM Service Optional User Facilities	
	•	
	A (informative) Glossary of Terms	
Annex	B (informative) Definitions Of Elements Of Service	55
Annex	C (informative) Elements of service changes from 1992	80
Annex	D (informative) Differences between ISO/IEC 10021-1 and ITU-T Recommendation X.400	82

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 10021-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

This part of ISO/IEC 10021 is technically aligned with ITU-T Recommendation F.400/X.400 (1999) but is not published as identical text.

This second edition cancels and replaces the first edition (ISO/IEC 10021-1:1990), which has been technically revised. It also incorporates Technical Corrigenda 1 to 7 and consolidates Amendment 1:1994.

ISO/IEC 10021 consists of the following parts, under the general title *Information technology* — *Message Handling Systems (MHS)*:

- Part 1: System and service overview
- Part 2: Overall architecture
- Part 4: Message transfer system Abstract service definition and procedures
- Part 5: Message store: Abstract service definition
- Part 6: Protocol specifications
- Part 7: Interpersonal messaging system
- Part 8: Electronic Data Interchange Messaging Service
- Part 9: Electronic Data Interchange Messaging System
- Part 10: MHS routing
- Part 11: MHS Routing Guide for messaging systems managers [Technical Report]

Introduction

This document is one of a set of Recommendations | International Standards for Message Handling. The entire set provides a comprehensive specification for a Message Handling System (MHS) comprising any number of co-operating open systems.

Message Handling Systems and Services enable users to exchange messages on a store-and-forward basis. A message submitted by one user, the originator, is conveyed by the Message Transfer System (MTS), the principal component of a larger Message Handling System (MHS), and is subsequently delivered to one or more additional users, the message's recipients.

An MHS comprises a variety of interconnected functional entities. Message Transfer Agents (MTAs) co-operate to perform the store-and-forward message transfer function. Message Stores (MSs) provide storage for messages and enable their submission, retrieval and management. User Agents (UAs) help users access MHS. Access Units (AUs) provide links to other communication systems and Services of various kinds (e.g., Telematic Services, Postal Services).

This part of ISO/IEC 10021 specifies the overall system and service description of Message Handling capabilities.

Information technology — Message Handling Systems (MHS) —

Part 1:

System and service overview

1 Scope

This part of ISO/IEC 10021 defines the overall system and service of an MHS and serves as a general overview of MHS.

Other aspects of Message Handling Systems and Services are defined in other parts of ISO/IEC 10021. The structure of ISO/IEC 10021 (all parts) defining the Message Handling System and Services is shown in Table 1.

The technical aspects of MHS are defined in other parts of ISO/IEC 10021. The overall system architecture of MHS is defined in ISO/IEC 10021-2:2003.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 7498-1:1994, Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model

ISO/IEC 8649:1996, Information technology — Open Systems Interconnection — Service definition for the Association Control Service Element

ISO/IEC 8824-1:1998, Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation

ISO/IEC 8825-1:1998, Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)

ISO/IEC 9066-1:1989, Information processing systems – Text communication – Reliable Transfer – Part 1: Model and service definition

ISO/IEC 13712-1:1995, Information technology – Remote Operations: Concepts, model and notation

ISO/IEC 9594 (all parts), Information technology - Open Systems Interconnection - The Directory

ISO/IEC 10021-2:2003, Information technology – Message Handling Systems (MHS) – Part 2: Overall architecture

ISO/IEC 10021-4:2003, Information technology – Message Handling Systems (MHS) – Part 4: Message transfer system: Abstract service definition and procedures

ISO/IEC 10021-5:1999, Information technology – Message Handling Systems (MHS) – Part 5: Message store: Abstract service definition

ISO/IEC 10021-6:2003, Information technology – Message Handling Systems (MHS) – Part 6: Protocol specifications

ISO/IEC 10021-1:2003(E)

ISO/IEC 10021-7:2003, Information technology – Message Handling Systems (MHS) – Part 7: Interpersonal messaging system

ISO/IEC 10021-8:1999, Information technology – Message Handling Systems (MHS) – Part 8: Electronic Data Interchange Messaging Service

ISO/IEC 10021-9:1999, Information technology – Message Handling Systems (MHS) – Part 9: Electronic Data Interchange Messaging System

ISO/IEC 10021-10:1999, Information technology – Message Handling Systems (MHS) – Part 10: MHS routing

ISO/IEC 10021-11:1999, Information technology – Message Handling Systems (MHS) – Part 11: MHS Routing – Guide for messaging systems managers

ISO/IEC 11588-1:1996, Information technology – Message Handling Systems (MHS) management – Part 1: Model and architecture

ISO/IEC 11588-3:1997, Information technology – Message Handling Systems (MHS) management – Part 3: Logging information.

ISO/IEC 11588-8:1997, Information technology – Message Handling Systems (MHS) management – Part 8: Message Transfer Agent management.

CCITT Recommendation F.423:1992, Message handling services: Intercommunication between the interpersonal messaging service and the telefax service

CCITT Recommendation F.440:1992, Message handling services: The voice messaging service

CCITT Recommendation T.330:1988, Telematic access to interpersonal messaging system

CCITT Recommendation X.408 (1988), Message handling systems: Encoded information type conversion rules

CCITT Recommendation X.440 (1992), Message handling systems: Voice messaging system

Table 1 – Structure of MHS Standards

Short title		Joint	Joint MHS		Joint support		ITU-T only	
		ISO/IEC	ITU-T	ISO/IEC	ITU-T	System	Service	
MHS:	System and service overview	10021-1	X.400				F.400	
MHS:	Overall architecture	10021-2	X.402					
MHS:	Encoded information type conversion rules					X.408		
MHS:	MTS: Abstract service definition and procedures	10021-4	X.411					
MHS:	MS: Abstract -service definition	10021-5	X.413					
MHS:	Protocol specifications	10021-6	X.419					
MHS:	Interpersonal messaging system	10021-7	X.420					
Telema	tic Access to IPMS							
MHS:	EDI messaging service	10021-8	F.435			T.330		
MHS:	EDI messaging system	10021-9	X.435					
MHS:	Voice messaging service							
MHS:	Voice messaging system					F.440		
MHS:	Routing	10021-10	X.412			X.440		
MHS:	Routing: Guide for Messaging System Managers	10021-11	X.404					
MHS:	Naming and addressing for public MH services						F.401	
MHS:	The public message transfer service						F.410	
MHS:	Intercommunication with public physical delivery services						F.415	
MHS:	The public IPM service						E 420	
MHS:	Intercommunication between IPM service and Telex						F.420 F.421	
MHS:	Intercommunication between IPM service and Telefax						F.423	
OSI: B	asic Reference Model			7498-1	X.200			
OSI: Specification of Abstract Syntax Notation One (ASN.1)				8824-1	X.680			
	pecification of Basic Encoding Rules for lbstract Syntax Notation One (ASN.1)			8825-1	X.690			
OSI: A	ssociation Control: Service Definition			8649	X.217			
OSI: A	ssociation Control: Protocol Specification			8650-1	X.227			
OSI: R	eliable Transfer: Model and service definition			9066-1	X.218			
OSI: R	eliable Transfer: Protocol Specification			9066-2	X.228			
	emote Operations: Concepts, Model & Jotation			13712-1	X.880			
OSI: R	emote Operations: Service Definition			13712-2	X.881			
OSI: R	emote Operations: Protocol Specification			13712-3	X.882			